

Measure	Description	Procedure/Service	
Why use the preferred CPT and CPT II codes?	We are working to reduce the burden of quality measures on our providers. Using accurate CPT Category II codes enables efficient closure of patient care gaps, reducing data collection for performance measurement. Use of CPT II codes provides you the autonomy to submit claims confirming that you are giving the best of quality care to your patients. It's a win-win situation!  Let us know if this process helps you and please share any other ideas you have to improve data collection with your Provider Engagement specialist.	Please submit claims including the CPT II codes, where applicable.  CPT Category II codes are tracking codes used to close patient care gaps through the claims process to optimize performance and illustrate the quality measures you consider most meaningful. Let us know if this process helps you and please share any other ideas you have to improve data collection.  For full reference guide please visit the provider portal.	
(COL) Colorectal Cancer Screening	The percentage of members 50-75 years of age who had appropriate screening for colorectal cancer. FOBT during measurement year, Flexible Sigmoidoscopy within past 5 years, Colonoscopy within last 10 years, CT colonography within past 5 years, FIT-DNA within past 3 years.	CT Colonography FIT- DNA	CPT: 44388 - 44394, 44397, 44401 - 44408, 45355, 45378 - 45393, 45398  HCPCS: G0105, G0121  CPT: 74261 - 74263  CPT: 81528  HCPCS: G0464
		Flexible Sigmoidoscopy  FOBT	CPT: 45330 - 45335, 45337 - 45342, 45345 - 45347, 45349 - 45350  HCPCS: G0104  CPT: 82270, 82274  HCPCS: G0328
		Colorectal Cancer	HCPCS: G0213, G0214, G0215, G0231  ICD-10: C18.0 - C18.9, C19, C20, C21.2, C21.8, C78.5, Z85.038, Z85.048
		Total Colectomy	CPT: 44150 - 44153, 44155 - 44158, 44210 - 44212



(CBP) - Controlling High Blood Pressure	Assesses adults 18–85 years of age with a diagnosis of hypertension and whose systolic blood pressure < 140 and diastolic blood pressure is <90	Hypertension	ICD-10: I10
		Systolic greater than/equal to 140	CPT-CAT-II: 3077F
		Systolic less than 130	CPT-CAT-II: 3074F
		Systolic 130-139	CPT -CAT II: 3075F
		Diastolic greater than/equal to 90	CPT-CAT-II: 3080F
		Diastolic 80-89	CPT-CAT-II: 3079F
		Diastolic less than 80	CPT-CAT-II: 3078F
		Remote Blood Pressure Monitoring codes	CPT: 93784, 93788, 93790, 99091
		Outpatient codes	<b>CPT:</b> 99201 - 99205, 99211 - 99215, 99241 - 99245, 99347 -99350, 99381 - 99387, 99391 - 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99429, 99455, 99456, 99483, 99341-99345
			HCPCS: G0402, G0438, G0439, G0463, T1015
(CDC) - Comprehensive Diabetes Care – Eye Exam, HBA1c Testing/Control, Monitoring for Nephropathy	The percentage of members ages 18–75 with diabetes (type 1 and type 2) who had each of the following services:  • Hemoglobin A1c testing with result <8  • Diabetic Retinal exam read by an eye care professional  • Medical attention for nephropathy (micro albumin urine, ACE/ARB, visit with a nephrologist, ESRD)	Outpatient Codes	CPT: 99201 - 99205, 99211 - 99215, 99241 - 99245, 99347 -99350, 99381 - 99387, 99391 - 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99429, 99455, 99456, 99483, 99341-99345  HCPCS: G0402, G0438, G0439, G0463, T1015
		Diabetic Retinal Screening With Eye Care Professional	CPT-CAT-II: 2022F, 2024F, 2026F
		Unilateral Eye Enucleation with a bilateral modifier	<b>CPT:</b> 65091, 65093, 65101, 65103, 65105, 65110, 65112, 65114
			CPT Modifier: 50
		HbA1C	<b>CPT</b> : 83036, 83037
		Result <7.0%	CPT-CAT-II: 3044F



(CDC) continued		HbA1C Result 7.0 -9.0%  Result >9.0%  Urine Protein Tests  Nephropathy Treatment:  ESRD, CRF, ARF, RI  ACE/ARB Therapy	CPT-CAT-II: 3045F  CPT-CAT-II: 3046F  CPT: 81000 - 81003, 81005, 82042 - 82044, 84156  CPT-CAT-II: 3060F, 3061F, 3062F  CPT-CAT-II: 3066F  CPT-CAT-II: 4010F
(CCS) - Cervical Cancer Screening	This measure demonstrates the percentage of women 21-64 years of age who were screened for cervical cancer using either of the following criteria:  • Women 21-64 years of age who had cervical cytology performed within last 3 years.  • Women 30-64 years of age who had cervical high-risk human papillomavirus (hrHPV) testing performed within the last 5 years.  • Women 30-64 years of age who had cervical cytology/high risk human papillomavirus (hrHPV) cotesting within the last 5 years.	Cervical Cytology (20-64)  HPV Tests (30-64)  Absence of Cervix	CPT: 88141 - 88143, 88147, 88148, 88150, 88152 - 88154, 88164 - 88167, 88174, 88175  HCPCS: G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, P3000, P3001, Q0091  CPT: 87620 - 87622, 87624, 87625  HCPCS: G0476  CPT: 51925, 56308, 57540, 57545, 57550, 57555, 57556, 58150, 58152, 58200, 58210, 58240, 58260, 58262, 58263, 58267, 58267, 58270, 58275, 58280, 58285, 58290-58294, 58548, 58550, 58552-58554, 58570-58573, 58575, 58951, 58953, 58954, 59856, 59135  ICD-10: Q51.5, Z90.710, Z90.712
(CHL) - Chlamydia Screening Test	The percentage of women 16–24 years of age who were identified as sexually active and who had at least one test for chlamydia during the measurement year	CPT: 87110, 87270, 87320, 87490 - 87492, 87810	
(BCS) Breast Cancer Screening (BSC) continued	Measure evaluates the percentage of women 50-74 years of age who had a mammogram to screen for breast cancer.	Mammogram	<b>CPT:</b> 77055 - 77057, 77061 - 77063, 77065 – 77067

AMB19-TN-C-00305

© 2019 Celtic Insurance Company. All rights reserved.



		HCPCS	G0202, G0204, G0206
		Bilateral Mastectomy	ICD 10: Z90.13
(PPC) Prenatal and Postpartum Care	The percentage of deliveries on or between November 6 of the year prior to the measurement year and November 5 of the measurement year. The measure assesses the:  Timeliness of prenatal care as the percentage of deliveries that received a prenatal visit in the first trimester or within 42 days of enrollment  Postpartum visit on or between 21 and 55 days after delivery	Prenatal Visits	CPT: 99201 - 99205, 99211 - 99215, 99241 - 99245, 99483  CPT-CAT-II: G0463, T1015
		Stand Alone Prenatal Visits	CPT: 99500  CPT-CAT-II: 0500F, 0501F, 0502F  HCPCS: H1000, H1001, H1002, H1003, H1004
(PPC) Prenatal and Postpartum Care (continued)		Cervical Cytology	<b>CPT:</b> 88141 - 88143, 88147, 88148, 88150, 88152 - 88154, 88164 - 88167, 88174, 88175
			<b>HCPCS</b> : G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, P3000, P3001, Q0091
		Postpartum Visits	CPT: 57170, 58300, 59430, 99501  CPT-CAT-II: 0503F
			HCPCS: G0101
			ICD-10: Z01.411, Z01.419, Z01.42, Z30.430, Z39.1, Z39.2
(WCC) - Weight Assessment and Counseling for Nutrition	Assesses children and adolescents 3-17 years of age who had an outpatient visit with a primary care practitioner or OB/GYN during the measurement year and had evidence of:  Body Mass Index (BMI) percentile Counseling for nutrition Counseling for physical activity	BMI Percentile	ICD-10: Z68.51, Z68.52, Z68.53, Z58.54
and Physical Activity for Children/Adolescents		Nutrition Counseling	<b>CPT:</b> 97802, 97803, 97804 <b>HCPCS:</b> G0270, G0271, G0447, S9449, S9452, S9470 <b>ICD-10</b> : Z71.3
		Physical Activity	HCPCS: G0447, S9451 ICD-10: Z02.5, Z71.82